

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 0	10	09/203719	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/15 16:13
S10 1	0	09/495799	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:39
S10 2	1446	gilmore.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:40
S10 5	11	aviel near3 rubin.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:41
S10 4	5	david near3 kormann.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:41
S10 3	0	christian near3 gilmore.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:41
S11 0	0	(S103 S104 S105) and "495799"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:42
S10 9	0	(S103 S104 S105) and "09495799"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:42
S10 8	0	(S103 S104 S105) and 09/495799	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:42
S10 6	0	christian near3 gilmore.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 07:42
S11 4	15	(S111 S112 S113)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:01

EAST Search History

S11 3	11	aviel near3 rubin.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:01
S11 2	5	david near3 kormann.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:01
S11 1	0	christian near3 gilmore.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:01
S10 7	15	(S103 S104 S105)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:01
S11 7	0	(S111 S112 S113) and server with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:02
S11 6	0	(S111 S112 S113) and access\$4 with server with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:02
S11 5	0	(S111 S112 S113) and access\$4 with server with inside with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:02
S12 0	0	(S111 S112 S113) and firewall.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:03
S11 9	1	(S111 S112 S113) and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:03
S12 1	1446	gilmore.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:04
S12 6	0	(S111 S112 S113) and proxy.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:05
S12 5	5	(S111 S112 S113) and server.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:05

EAST Search History

S12 4	0	christian near5 gilmore.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:05
S12 3	0	christian near5 gilmore.in. and AT&T. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:05
S12 2	3	gilmore.in. and AT&T.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:05
S11 8	13	(S111 S112 S113) and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:05
S12 8	0	(S111 S112 S113) and hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:06
S12 7	1	(S111 S112 S113) and proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:06
S13 1	0	(S111 S112 S113) and (ip near address) with fire\$wall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:07
S13 0	0	(S111 S112 S113) and ip near address.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:07
S12 9	6	(S111 S112 S113) and ip near address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/16 09:07
S13 2	0	(S111 S112 S113) and (ip near address) with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 10:46
S13 5	44	server with firewall with (((internet adj protocol) ip) near3 (address id)) and firewall with (inside and outside) and proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:23
S13 3	426	server with firewall with (((internet adj protocol) ip) near3 (address id))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:23

EAST Search History

S13 9	0	09/203709 and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:26
S13 8	1	09/203709	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:26
S13 7	2	"09203719"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:26
S14 0	10	09/203719 and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:27
S14 2	1	"20030140176"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:28
S14 1	10	09/203719	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:31
S14 7	1	"20020169980" and firewall with (inside and outside) and proxy and ip	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:32
S14 6	1	"20020169980" and firewall with (inside and outside) and proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:32
S14 5	1	"20020169980" and firewall with (inside and outside)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:32
S14 4	1	"20020169980" and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:32
S14 3	1	"20020169980"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:32
S15 0	44	server with firewall with (((internet adj protocol) ip) near3 (address id)) and firewall with (inside and outside) and proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:33

EAST Search History

S14 8	1	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:33
S13 6	9	server with firewall with (((internet adj protocol) ip) near3 (address id)) and firewall with (inside and outside) and proxy with (first and second)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:33
S14 9	1	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:34
S15 2	0	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server with firewall with ip	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:35
S15 1	1	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:35
S15 5	0	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port with proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:44
S15 4	0	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and second with proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:44
S15 3	1	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:44
S15 6	1	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:49
S15 7	1	"20020169980" and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 11:55
S15 9	0	"20020169980" and firewall with component	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 12:34

EAST Search History

S16 0	1	"20020169980" and firewall with (inside and outside)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 12:35
S16 1	1	"20020169980" and firewall with (component class program socket)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 12:40
S16 3	1	"20020169980" and firewall near (inside and outside)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:40
S16 2	1	"20020169980" and socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:40
S16 6	1	"20020169980" and socket with ((internal inside) and (external outside))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:41
S16 5	0	"20020169980" and socket with (inside and outside)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:41
S16 4	0	"20020169980" and socket near (inside and outside)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:41
S15 8	1	"20020169980" and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:42
S16 7	1	"20020169980" and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:43
S13 4	60	server with firewall with (((internet adj protocol) ip) near3 (address id)) and firewall with (inside and outside)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:52
S16 9	10	09/203719	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:53

EAST Search History

S16 8	1	"20020169980" and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 13:54
S17 1	0	09/203719 and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall and hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 15:09
S17 0	2	09/203719 and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 15:09
S17 2	2	09/203719 and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall and web near page	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/17 15:13
S17 3	2	09/203719 and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall and web near page and authenticat\$4 with (client user)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 07:44

EAST Search History

S17 4	2	09/203719 and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall and web near page and authenticat\$4 with (client user) and (pass\$4 forward\$4 transmit\$4 send\$4) with request\$4 with host	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 08:06
S17 7	0	09/203719 and internal adj host with (contain\$4 content)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 08:13
S17 6	2	09/203719 and receiv\$4 with ((inside adj channel) tunnel) with host	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 08:13
S17 8	0	09/203719 and internal adj host with (record file document contain\$4 content)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 08:14
S17 9	2	09/203719 and internal adj host with (record data file document contain\$4 content)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 08:17
S17 5	2	09/203719 and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall and web near page and authenticat\$4 with (client user) and (pass\$4 forward\$4 transmit\$4 send\$4) with request\$4 with host and receiv\$4 with ((inside adj channel) tunnel) with internal adj host	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 08:27
S18 1	2	09/203719 and request\$4 with socket with (channel tunnel)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:07

EAST Search History

S18 0	2	09/203719 and firewall and firewall with (inside and outside) and proxy and ip near2 address and server with firewall and firewall with ip with address and port same proxy and connect\$4 with request\$4 and socket with ((inside internal) and (outside external)) with firewall and web near page and authenticat\$4 with (client user) and (pass\$4 forward\$4 transmit\$4 send\$4) with request\$4 with host and receiv\$4 with ((inside adj channel) tunnel) with internal adj host and web adj server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:33
S18 3	71	firewall with access\$4 and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:35
S18 2	686	access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:35
S18 6	0	firewall with access\$4 and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 chang\$4 translat\$4 conver\$5) with (url point\$4 proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:37
S18 5	0	firewall with access\$4 and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 translat\$4 conver\$5) with (url point\$4 proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:37
S18 4	0	firewall with access\$4 and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 translat\$4 conver\$5) with (url point\$4 proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:37

EAST Search History

S18 8	0	firewall with access\$4 and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 substitut\$4 replac\$4 chang\$4 translat\$4 conver\$5) with (url point\$4 proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:38
S18 7	0	firewall with access\$4 and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 replac\$4 chang\$4 translat\$4 conver\$5) with (url point\$4 proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:38
S18 9	1	firewall with access\$4 and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 substitut\$4 replac\$4 chang\$4 translat\$4 conver\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:39
S19 0	11	firewall and access\$4 with document and document with hyperlink and (brows\$4 look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 substitut\$4 replac\$4 chang\$4 translat\$4 conver\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:41
S19 3	51	control\$4 with access\$4 and access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 chang\$4 translat\$4 conver\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:43
S19 2	106	access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 chang\$4 translat\$4 conver\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:43
S19 1	3	firewall and access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 chang\$4 translat\$4 conver\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:43

EAST Search History

S19 4	55	(restrict\$4 secur\$4 control\$4) with access\$4 and access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 chang\$4 translat\$4 conver\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:44
S19 6	2	(restrict\$4 secur\$4 control\$4) with access\$4 and access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:49
S19 5	13	(restrict\$4 secur\$4 control\$4) with access\$4 and access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:50
S19 8	5	S197 not S195	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:51
S20 2	0	S200 not S195 and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:52
S20 1	19	S200 not S195	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:52
S20 0	19	S199 not S197	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:52
S19 7	18	(restrict\$4 secur\$4 control\$4) with access\$4 and access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:52

EAST Search History

S20 4	347	(search\$4 pars\$4) with document with hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:55
S20 3	5	S200 not S195 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:55
S19 9	37	access\$4 with document and document with hyperlink and (look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:56
S20 8	0	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:57
S20 7	0	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submit\$4) with document and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:57
S20 5	46	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 09:57
S20 9	0	re4writ\$4 with hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:15
S21 3	0	re\$writ\$4 with hyperlink with proxy with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:17
S21 2	0	re\$writ\$4 with hyperlink with point\$4 with proxy with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:17

EAST Search History

S21 1	0	re\$writ\$4 with hyperlink with point\$4 with proxy with access\$4 with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:17
S21 0	30	re\$writ\$4 with hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:17
S21 6	2	re\$writ\$4 with hyperlink and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:18
S21 5	0	re\$writ\$4 with hyperlink and point\$4 with proxy and access\$4 with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:18
S21 4	0	re\$writ\$4 with hyperlink and point\$4 with proxy with access\$4 with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:18
S21 8	18	re\$writ\$4 with hyperlink and point\$4 with (proxy firewall server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:19
S21 7	26	re\$writ\$4 with hyperlink and point\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:19
S21 9	11	re\$writ\$4 with hyperlink and point\$4 with (proxy firewall server) and document with hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:22
S22 3	2	re\$writ\$4 with hyperlink and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:23
S22 2	0	re\$writ\$4 with hyperlink with point\$4 and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:23
S22 0	0	re\$writ\$4 with hyperlink and point\$4 with (proxy firewall server) and document with hyperlink with (search\$4 pars\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:23
S22 4	5	S221 not S219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:24

EAST Search History

S22 1	15	re\$writ\$4 with hyperlink with point\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:24
S20 6	23	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submit\$4) with document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:30
S22 5	20	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submit\$4) with document and document with (transmit\$4 receiv\$4 sen\$4) with user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:31
S22 6	18	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submit\$4) with document and document with (transmit\$4 receiv\$4 sen\$4) with user and web adj page	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:36
S22 7	8	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submit\$4) with document and document with (transmit\$4 receiv\$4 sen\$4) with user and web adj page and identif\$4 with hyperlink	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/19 10:37
S23 0	0	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submit\$4) with document and document with (transmit\$4 receiv\$4 sen\$4) with user and web adj page and break\$4 and hyperlink with reference and updat\$4 with hyperlink with (secur\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 08:53

EAST Search History

S23 3	12	(updat\$4 modif\$4 re\$writ\$4) with (url hyperlink) with security and document with (url hyperlink)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 08:55
S23 2	74	(updat\$4 modif\$4 re\$writ\$4) with (url hyperlink) with security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 08:55
S23 1	6	re\$writ\$4 with (url hyperlink) with security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 08:55
S23 4	7	(updat\$4 modif\$4 re\$writ\$4) with (url hyperlink) with security and document with (url hyperlink) and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 08:58
S23 6	8	S235 not S234	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 08:59
S23 7	11	(updat\$4 modif\$4 re\$writ\$4) with (url hyperlink) with (compris\$4 includ\$4) with security and web adj page	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 09:00
S23 5	11	(updat\$4 modif\$4 re\$writ\$4) with (url hyperlink) with (compris\$4 includ\$4) with security and firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 09:00
S23 8	6	S237 not S235	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 09:02
S23 9	17	(updat\$4 revis\$4 change\$4 re\$writ\$4) near3 (hyperlink url) near3 secur\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 09:03
S24 0	1	"6754831".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 10:05
S22 8	9	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submits\$4) with document and document with (transmit\$4 receiv\$4 sen\$4) with user and web adj page and break\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 10:05

EAST Search History

S24 1	1	"6754831".pn. and (channel tunnel) with (request\$4 messag\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 10:06
S24 2	1	"6754831".pn. and (channel tunnel) near2 (request\$4 messag\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 10:08
S24 3	1	"6754831".pn. and (channel tunnel) near2 (task\$4 perform\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 10:22
S24 5	1	"6754831".pn. and (connect\$4) with tunnel with socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 10:32
S24 4	1	"6754831".pn. and (channel tunnel) near2 (send\$4 transmit\$4 receiv\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 10:32
S24 6	1	"6578078".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 12:51
S22 9	4	(look\$4 find\$4 pars\$4 search\$4) with document with hyperlink and hyperlink with (re\$writ\$4 modif\$4 alter\$4 replac\$4 updat\$4 map\$6 chang\$4 translat\$4 conver\$5) with (point\$4 url reference id) and (transmit\$4 send\$4 submits\$4) with document and document with (transmit\$4 receiv\$4 sen\$4) with user and web adj page and break\$4 and hyperlink with reference	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 12:51
S24 8	0	"6578078".pn. and web adj page with ip near address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 12:52
S24 7	1	"6578078".pn. and web adj page with (direct re\$direct\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/20 12:52